

**GLOBAL JOURNAL OF ENGINEERING SCIENCE AND RESEARCHES**  
**STUDY OF DOT GAIN IN DIFFERENT DOT SHAPES (LINE AND ROUND) OF**  
**HALFTONE ON PRINT QUALITY BASED ON DRY TONER**  
**ELECTROPHOTOGRAPHY DIGITAL PRESS**

Mr. Amit Kumar<sup>\*1</sup>, Ms. Monika<sup>2</sup>, Mr. Sanjeev Kumar<sup>3</sup>

<sup>\*1</sup>Assistant Professor, Department of Printing and Packaging Technology, CUH, Mahendergarh (Haryana)

<sup>2</sup>M.Tech Scholar, Department of Printing Technology, GJUS&T, Hisar (Haryana)

<sup>3</sup>Assistant Professor, Department of Printing Technology, GJUS&T, Hisar (Haryana)

**ABSTRACT**

Electrophotography is a NIP (Non-Impact Printing) process. This printing process is most commonly used printing process in now a day. The electrophotography printing is based on the halftones. These halftones are available in different dots shapes like Diamond, Elliptical, Square, Line, Round etc. In this research paper, we compare the print quality bases on different dot shapes like Line and Round. The sheets were printed with different halftone dots like Line and Round with the help of dry electrophotography printing process.

**Keywords:** *Electrophotography, Non-Impact, Halftone Dot, Dot Gain, Diamond, Elliptical, Square, Line, Round.*

**I. INTRODUCTION**

The xerography or Electrophotography introduced by Chester Carlson in 1938 in New York City. The electrophotography printing process is done in five steps that start from (1) charging a photo receptor belt or drum with a coronotron or scorotron.; (2) exposure with light a laser beam is used; (3) development the latent image is converted in the real image with the help of the series of black and colored toner cartridge; (4) Transfer the toner on substrate Corotrons rollers are used to transfer the toner on the photoreceptor to the paper electrostatically using the opposite charge of toner; (5) fusing the image on substrate and last step is (6) cleaning of the photoreceptor drum or belt. Halftone is the reprographic system that recreates continuous tone imagery using the dots, differing either in size or in dispersing, in this manner producing an inclination like impact. "Halftone" can likewise be used to refer explicitly to the picture that is created by this procedure. This propagation depends on an essential optical illusion: the small halftone dots are mixed into smooth tones by the human eye.




Fig. 1 Schematic diagram of the monochrome xerographic process

A photoreceptor belt is uniformly charged in step (1). An image is written on this belt by a laser in step (2), thereby generating a charge image on the belt. This charge image is converted into a powder image of toner on the belt in the

development step (3). This powder image is transferred to a sheet of paper in the transfer step (4) and subsequently fused to the paper in step (5). Residual toner on the photoreceptor is cleaned off in step (6) and the process repeats. Dot gain increases in the diameter of the halftone dot. There are two types of dot gain (1) Mechanical dot gain, (2) Optical dot gain.

**1.1 Mechanical dot gain:** - It is a physical growth or loss of the dot. It comes from the presses and is called mechanical dot gain.

**1.2 Optical dot gain:** - It is the illusion of the dot area; it means how the dot appears to the eye on the page is called optical dot gain.

## II. RESEARCH OBJECTIVE

To study & analyze the effect of different halftone dots (line and round) on print quality factor of Dot Gain in multi-color Dry Electrophotography digital press.

## III. RESEARCH METHODOLOGY

The master chart is with the help of suitable tools and images according to the requirement of the research. The sheet was printed with dry toner electrophotography with different dot shapes (line and round).



The sheet is printed in the “Xerox® Versant® 80 Press” Dry Toner Electrophotography with suitable conditions and used coated paper.

### 3.1 Specification of Xerox® Versant® 80 Press: -


Speed	Up to 80ppm
Media Weight	52gsm to 350gsm
Media Sizes	Up to 13” * 19.2”
Duty Cycle	460000
Dimensions	860mm(W) * 831mm(D) * 121mm(H)
Weight	295kg
Copy with single-pass duplex scanning	200 images per minutes
Media Types	Coated, Uncoated, Tabs, Envelops etc.



Color Consistency



Slur



Ink Trapping



	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
BLACK	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
0%										
YELLOW	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
0%										
CYAN	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
0%										
MAGENTA	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
0%										

Color Density



Fig. Master Chart

#### IV. DATA COLLECTION AND ANALYSIS

Data collection is the main work of the research. The whole research was carried out at **Shree Bala Jee Graphic, Hisar**. The 200 sheets were printed with dry electrophotography printing process of the different dot shapes (Line and Round) and first 100 sheets of the line dot shape and last 100 sheets of round dot shape. Data collection is based on every 5<sup>th</sup> sheet which is printed by dry electrophotography. The data collected by the x-rite spectrophotometer and the dot gain measured on the 70%, 50% and 20%. After the collection of data, we analyze the data with the help of charts and tables.

**4.1 Dot Gain:** - It is increase in the diameter of the halftone dot.

$$\text{Dot gain} = a_{\text{print}} - a_{\text{form}}$$

Where  $a_{\text{print}}$  is the ink area fraction of the print  
 $a_{\text{form}}$  is the prepress area fraction to be inked.

Dot gain is measured of black, yellow, cyan and magenta color at 70%, 50% and 20%.

*Table.4.1 Dot Gain in Line and Round Dot Shapes at 70%*

DOT GAIN (70%)									
	Line				Round				
	K	Y	C	M	K	Y	C	M	
Max	1	6	4	11	1	6	7	11	
Min	0	4	4	10	0	4	6	10	
Av	0.8	5	4	11.1	0.5	5	6.9	10.9	

*Table.4.2 Dot Gain in Line and Round Dot Shapes at 50%*

DOT GAIN (50%)									
	Line				Round				
	K	Y	C	M	K	Y	C	M	
Max	2	3	6	13	2	5	7	13	
Min	0	1	5	11	0	2	5	11	
Av	0.8	3.1	5.5	11.6	0.8	3.5	5.8	12.2	

*Table.4.3 Dot Gain in Line and Round Dot Shapes at 20%*

DOT GAIN (20%)									
	Line				Round				
	K	Y	C	M	K	Y	C	M	
Max	14	1	3	5	13	3	2	6	
Min	12	0	2	5	6	1	0	5	
Av	12.6	0.8	2.4	5	7.4	1.8	2.1	5.3	

#### 4.2 Data Analysis

The data obtained from 200 printed sheets and take 5<sup>th</sup> sheet for measuring the Dot Gain and analyze the data with the help of graphs.




Chart.1 Dot Gain at 70%




Chart.2 Dot Gain at 50%




Chart.3 Dot Gain at 20%

## V. RESULT AND DISCUSSION

Chart.1 shows that dot gain of black (K) color is near about similar at 70% of line dot and round dot shape. The dot gain of yellow (Y) color is same at 70% of line dot and round dot shape. The dot gain of cyan (C) color is high of round dot shape at 70% as compared to line dot shapes. And the dot gain of magenta (M) color is near about similar at 70% of line dot and round dot shape.



Chart.2 shows that dot gain of black (K) color is same at 50% dot of line dot and round dot shape. The dot gain of yellow (Y) color is near about similar at 50% as of both dot shapes. The dot gain of cyan (C) color is same at 50% of both dot shapes. The dot gain of magenta (M) color is near about similar at 50% of both dots.

Chart.3 shows that dot gain of black (K) color is high at 20% of line dot shape as compared to round dot shapes. The dot gain of yellow (Y) color is high of round dot shape at 20% as compared to line dot shapes. The dot gain of cyan (C) color is near about similar at 20% of both dot shapes. The dot gain of magenta (M) color is color is near about similar at 20% of both dot shapes.

## VI. CONCLUSION

In this research we found that the different halftone dot shapes affect the print quality of the printed sheets. In the dot gain in line and round dot shapes the value of c, m, y, k is different at 70%, 50% and 20%. The dot gain of magenta color maximum at 70% as comparison to black, yellow and cyan color in both dot shapes. The dot gain of magenta color is maximum at 50% as comparison to black, yellow and cyan color in both dot shapes. The dot gain of black is maximum at 20% as comparison to yellow, cyan and magenta color in both dot shapes. If the dot gain is high, it causes darker the image and loss of details.

## REFERENCES

1. Damodar M. Pai and B. E. Springett; "Physics of electrophotography" *Reviews of Modern Physics*; Vol. 65, No. 1, January 1993.
2. Emmett Ientilucci, 1994; "Fundamentals of Xerography" February 22, 1994, "Elsevier Science", Page number 1005-1023 .
3. Fig. no. 1, Emmett Ientilucci, 1994; "Fundamentals of Xerography" February 22, 1994, "Elsevier Science", Page number 1007.
4. Charles B. Duke a, \*, JaanNoolandi b, Tracy Thieret c; "The surface science of xerography", ELSEVIER; page no. 1005-1023.
5. Oittinen, P., AL-Rubaiey, H., Sipi, K. And Vikman, K.; "Research on Paper-Ink-Process Interactions in Electrophotographic and Ink Jet Printing", *International Conference on Digital Production, Printing and Industrial Applications*; page no.327-330, 2001.
6. Vince Cahill; "Introduction to Digital Printing Technology", 2003.
7. Seung-JinRyu, Hae-Yeoun Lee, Dong-HyuckIm, Jung-Ho Choi, Heung-Kyu Lee; "Electrophotographic Printer Identification by Halftone Texture Analysis", 2010.
8. Vikas Sindhu, MDU, Rohtak; "A Review on Image Halftone Processing", *Journal of Information, Knowledge and Research in Electronics and Communication*; ISSN 0975-6779; Vol. 2, No. 2, page no.914-919, 2013.
9. MahziarNamedanian, Daniel Nystrom, Paula Zitinski Elias, and SasanGooran; "Physical and optical dot gain: characterization and relation to dot shape and paper properties", *International Society for Optical Engineering*; January 2014.
10. VikasJangra, Abhishek Saini, Anil Kundu; "Relationship of solid ink density and dot gain in digital printing" *International Journal of Engineering and Technical Research*; ISSN: 2321-0869, Volume-2, Issue-7, July 2014.
11. RossitzaSardjeva, TodorMollov; "Study of Color Quality Uniformity in Digital Dry Toner Electrophotographic Printing", *International Journal of Modern Communication Technologies & Research*; ISSN: 2321-0850; Volume-2, Issue-9, September 2014.
12. Aman Bhardwaj, Krishan Kumar; "Effect of paper gloss on solid ink density printed with digital printing process", *International Journal for Technological Research in Engineering*; ISSN: 2347 - 4718 Volume 3, Issue 10, June-2016.
13. Ivan Pinčjer, DragoljubNovaković, UrošNedeljković, NemanjaKašiković, GojkoVladić; "Impact of Reproduction Size and Halftoning Method on Print Quality Perception", *ActaPolytechnicaHungarica*; Vol. 13, No. 3, page no. 81-100, 2016.
14. Masayuki Kawasaki, Masaya Ishisak; "Investigation into the Cause of Print Mottle in Halftone Dots of Coated Paper: Effect of Optical Dot Gain Non-uniformity", *Pulp & Paper Research Laboratory*.